



Russian (Gost Type) Tubular Cable Lugs

- Electrolytic high conductivity copper
- Electro tinned plated



Product Ref.	Conductor Size mm ²	Stud Hole	Dimensions mm							
			E	I	O	W	B	P	L	L
CGR / CRG-CL 2.5-3-2.6	2,5	M3	2,6	5,0	7,0	10,0	57,2	27,2	20	
CGR-2.5-4-2.6	2,5	M4	2,6	5,0	8,0	10,0	57,2	27,2		
CGR-2.5-5-2.6	2,5	M5	2,6	5,0	10,0	10,0	57,2	27,2		
CGR-2.5-6-2.6	2,5	M6	2,6	5,0	12,0	10,0	60,2	29,2		
CGR / CRG-CL 4-4-3	4	M4	3,0	5,0	8,0	12,0	65,2	31,2	30	
CGR-4-5-3	4	M5	3,0	5,0	10,0	12,0	65,2	31,2		
CGR-4-6-3	4	M6	3,0	5,0	12,0	12,0	65,2	31,2		
CGR / CRG-CL 6-4-4	6	M4	4,0	6,0	8,0	12,0	65,2	31,2	30	
CGR-6-5-4	6	M5	4,0	6,0	10,0	12,0	65,2	31,2		
CGR-6-6-4	6	M6	4,0	6,0	12,0	12,0	65,2	31,2		
CGR / CRG-CL 10-5-5	10	M5	5,0	8,0	11,0	14,0	81,7	39,2	30	
CGR-10-6-5	10	M6	5,0	8,0	14,0	14,0	81,7	39,2		
CGR-10-8-5	10	M8	5,0	8,0	16,0	14,0	81,7	39,2		
CGR / CRG-CL 16-6-6	16	M6	6,0	9,0	14,0	14,0	81,5	39,2	30	
CGR-16-8-6	16	M8	6,0	9,0	16,0	14,0	81,5	39,2		
CGR-25-6-7	25	M6	7,0	10,0	15,0	20,0	92,2	44,2		
CGR-25-8-7	25	M8	7,0	10,0	16,0	20,0	92,2	44,2		
CGR / CRG-CL 25-6-8	25	M6	8,0	11,0	16,0	20,0	102,2	49,2	40	
CGR-25-8-8	25	M8	8,0	11,0	16,0	20,0	102,2	49,2		
CGR-25-10-8	25	M10	8,0	11,0	20,0	20,0	102,2	49,2		
CGR-35-8-9	35	M8	9,0	12,0	18,0	24,0	121,7	58,7		
CGR-35-10-9	35	M10	9,0	12,0	20,0	24,0	121,7	58,7		
CGR-35-12-9	35	M12	9,0	12,0	22,0	24,0	121,7	58,7		
CGR / CRG-CL 35-8-10	35	M8	10,0	13,0	20,0	24,0	128,2	61,7	50	
CGR-35-10-10	35	M10	10,0	13,0	20,0	24,0	128,2	61,7		
CGR-35-12-10	35	M12	10,0	13,0	22,0	24,0	128,2	61,7		
CGR-50-8-11	50	M8	11,0	14,0	20,0	24,0	127,7	61,7		
CGR / CRG-CL 50-10-11	50	M10	11,0	14,0	22,0	24,0	127,7	61,7	50	
CGR-50-12-11	50	M12	11,0	14,0	22,0	24,0	127,7	61,7		
CGR-50-8-12	50	M8	12,0	15,0	22,0	24,0	132,2	63,7		
CGR-50-10-12	50	M10	12,0	15,0	22,0	24,0	132,2	63,7		
CGR-50-12-12	50	M12	12,0	15,0	24,0	24,0	132,2	63,7		
CGR / CRG-CL 70-10-13	70	M10	13,0	16,0	24,0	26,0	132,2	63,7	53	
CGR-70-12-13	70	M12	13,0	16,0	24,0	26,0	132,2	63,7		
CGR-95-10-15	95	M10	15,0	19,0	28,0	32,0	152,7	73,7		
CGR / CRG-CL 95-12-15	95	M12	15,0	19,0	28,0	32,0	152,7	73,7	67	
CGR-95-10-16	95	M10	16,0	20,0	30,0	32,0	152,7	73,7		
CGR-95-12-16	95	M12	16,0	20,0	30,0	32,0	152,7	73,7		
CGR-120-12-17	120	M12	17,0	22,0	34,0	32,0	164,5	79,3		
CGR / CRG-CL 120-16-17	120	M16	17,0	22,0	34,0	32,0	164,5	79,3	67	
CGR-120-12-18	120	M12	18,0	24,0	35,0	34,0	173,5	83,3		
CGR-120-16-18	120	M16	18,0	24,0	35,0	34,0	173,5	83,3		
CGR-150-12-19	150	M12	19,0	25,0	36,0	34,0	183,0	88,3		
CGR-150 / CRG-CL 16-19	150	M16	19,0	25,0	36,0	34,0	183,0	88,3	67	
CGR-150-12-20	150	M12	20,0	26,0	38,0	34,0	183,0	88,3		
CGR-150-16-20	150	M16	20,0	26,0	38,0	34,0	183,0	88,3		
CGR / CRG-CL 185-12-21	185	M12	21,0	27,0	40,0	38,0	194,0	93,3	75	
CGR-185-16-21	185	M16	21,0	27,0	40,0	38,0	194,0	93,3		
CGR-185-20-21	185	M20	21,0	27,0	40,0	38,0	194,0	93,3		
CGR-185-16-23	185	M16	23,0	30,0	40,0	38,0	215,0	103,3		
CGR-185-20-23	185	M20	23,0	30,0	48,0	38,0	215,0	103,3		
CGR-240-16-24	240	M16	24,0	32,0	48,0	38,0	215,0	103,3		
CGR / CRG-CL 240-20-24	240	M20	24,0	32,0	48,0	38,0	215,0	103,3	75	