



Copper Ring Tongue Fork Terminal End

For Solderless Crimping to Copper/Aluminum Conductor

- Electrolytic high conductivity copper
- Electro tinned plated



Product Ref.	Conductor Size mm ²	Stud Hole E	Dimensions mm									
			I	O	W	T	B	K	C2	C1	L-1	L
CFT-7235	1.5	3.1	1.6	3.2	6.0	0.8	5	2	4	3	11	14
CFT-7240	1.5	3.6	1.6	3.2	6.0	0.8	5	2	4	3	11	14
CFT-7241	1.5	3.1	1.6	3.2	6.8	0.8	5	-	4.6	3.4	9.6	13
CFT-7244	1.5	3.6	1.6	3.2	6.8	0.8	5	-	4.6	3.4	9.6	13
CFT-7237	1.5	4.1	1.6	3.2	7.0	0.8	5	1	5	3.5	11	14
CFT-7236	1.5	4.1	1.6	3.2	8.0	0.8	5	2	5	4	12	16
CFT-7238	1.5	5.1	1.6	3.2	10.0	0.8	5	2	6	5	13	18
CFT-7861	1.5	6.1	1.6	3.2	10.0	0.8	5	2	6	5	13	18
CFT-7962	2.5	3.1	2.3	3.9	6.5	0.8	5	1	3.5	3.2	9.5	12.7
CFT-7863	2.5	3.6	2.3	3.9	6.5	0.8	5	1	3.5	3.2	9.5	12.7
CFT-7239	2.5	4.1	2.3	3.9	8.0	0.8	5	2	5	4	12	16
CFT-7242	2.5	5.1	2.3	3.9	10.0	0.8	5	1	7	5	13	18
CFT-7864	2.5	6.1	2.3	3.9	10.0	0.8	5	1	7	5	13	18
CFT-7243	4-6	4.1	3.5	5.5	8.0	1.0	6	2	5	4	13	17
CFT-7245	4-6	4.1	3.5	5.5	10.0	1.0	6	3	5	5	14	19
CFT-7246	4-6	5.1	3.5	5.5	10.0	1.0	6	3	5	5	14	19
CFT-7247	4-6	5.1	3.5	5.5	10.0	1.0	6	3	7	6	16	22
CFT-7248	4-6	6.1	3.5	5.5	12.0	1.0	6	3	7	6	16	22
CFT-7865	10	4.1	4.3	6.3	10.0	1.0	8	2	7	5	17	22
CFT-7866	10	5.1	4.3	6.3	10.0	1.0	8	2	7	5	17	22
CFT-7867	10	6.1	4.3	6.3	12.0	1.0	8	2	7	6	17	23
CFT-7868	10	8.1	4.3	6.3	16.0	1.0	8	4	7	8	19	27
CFT-7869	16	5.1	5.6	8.0	10.0	1.2	10	3	6	5	19	24
CFT-7870	16	6.1	5.6	8.0	12.0	1.2	10	4	6	6	20	26
CFT-7871	16	8.1	5.6	8.0	16.0	1.2	10	4	8	8	22	30
CFT-7872	16	8.1	5.6	8.0	18.0	1.2	10	4	10	9	24	33